

What is Claimed:

1. A method of providing communiqué communication services to subscribers, each of whom is equipped with a wireless subscriber device, via a cellular communication network that includes a plurality of cell sites, each of which provides a plurality of wireless communication channels in a cell that covers a predetermined volume of space around a cell site transmitting antenna, comprising:

identifying subscribers, whose wireless subscriber devices are active in a cell of said cellular communication network; and

routing data, constituting said communiqué, from a selected program source to said cell for concurrent transmission to wireless subscriber devices of subscribers who are authorized to receive said communiqué and who are served by said cell, said transmission to said plurality of wireless subscriber devices being effected concurrently to more than one of said plurality of wireless subscriber devices via a one of said plurality of wireless communication channels.

2. The method of claim 1 further comprising the step of:
enabling each of said plurality of wireless subscriber devices to receive said information via said one of said plurality of wireless communication channels.

3. The method of claim 2 wherein said step of enabling comprises:
identifying each of said plurality of wireless subscriber devices via a communiqué address assigned to said plurality of wireless subscriber devices to enable the cell site to recognize each of said plurality of wireless subscriber devices, whose communiqué address constitutes an identity that is common to said plurality of wireless subscriber devices.

4. The method of claim 3 wherein said step of identifying comprises:
assigning a common MIN as said communiqué address assigned to said plurality of wireless subscriber devices to enable the cell site to recognize each of said plurality of wireless subscriber devices, whose communiqué address constitutes an identity that is common to said plurality of wireless subscriber devices.

5. The method of claim 2 wherein said step of enabling comprises:
registering at least one of said plurality of wireless subscriber devices to uniquely identify said at least one wireless subscriber device; and

authorizing said at least one wireless subscriber device to receive a subscriber selected communiqué.

6. The method of claim 1 wherein said step of routing operates in at least one information distribution mode selected from the class of information distribution modes including: push, pull, and combinations of push/pull information distribution modes.

7. The method of claim 1 wherein said step of selecting comprises:
defining a set of said cells to provide a communiqué to at least one of: a predetermined geographic area, a demographic population, and a subscriber interest group.

8. The method of claim 7 wherein said step of defining comprises:
identifying, in response to occurrence of an event, a temporal and spatial extent of said communiqué; and
translating said identified temporal and spatial extent into said set of said cells.

9. The method of claim 8 wherein said step of defining further comprises:
dynamically updating said temporal and spatial extent.

10. The method of claim 1 wherein said step of selecting comprises:
activating said cell site to transmit said communiqué, using the same frequency of transmission for said communiqué as an adjacent cell site.

11. The method of claim 1 wherein said step of selecting comprises:
creating temporal and spatial extent of narrowcast in the content domain.

12. The method of claim 11 wherein said step of creating temporal and spatial extent comprises:
defining program segments for a plurality of communiqués that are excerpted from a program stream in said cell site.

13. The method of claim 12 further comprising the steps of:
transmitting a program stream to said plurality of wireless subscriber devices served by said cell site; and

transmitting program stream parsing control signals to said plurality of wireless subscriber devices served by said cell site to define at least one communiqué that is excerpted from said program stream.

5 14. The method of claim 13 further comprising the steps of:
transmitting a program stream to said cell site; and
transmitting program stream parsing control signals to said cell site to define at
least one communiqué that is excerpted from a program stream in said cell site.

10 15. The method of claim 14 further comprising the steps of:
generating in said cell site, a plurality of communiqués from said received
program stream and said program stream parsing control signals; and
transmitting said plurality of communiqués to said plurality of wireless
subscriber devices served by said cell site.

15 16. The method of claim 13 further comprising the step of:
generating in said cell site, a plurality of subframes from said received program
stream and said program stream parsing control signals for transmission to said
plurality of wireless subscriber devices served by said cell site.

20 17. The method of claim 16 further comprising the steps of:
generating in said cell site, program stream subframe parsing control signals to
define at least one communiqué that is excerpted from a subframe of said program
stream; and
25 transmitting said received program stream subframe and said program stream
subframe parsing control signals to said plurality of wireless subscriber devices served
by said cell site.

30 18. The method of claim 1 wherein said step of selecting comprises:
receiving program content from a plurality of program sources; and
combining said received program content into a plurality of program streams
which comprise a combination of various forms of media including at least one of:
audio, video, graphics, text, data.

35 19. A communiqué system for providing a communiqué, constituting
program content concurrently delivered to a plurality of subscribers who are equipped
with wireless subscriber devices, via a cellular communication network that includes a

plurality of cell sites, each of which provides a plurality of wireless communication channels in a cell that covers a predetermined volume of space around a cell site transmitting antenna, comprising:

processor means for identifying subscribers, whose wireless subscriber devices
5 are active in a cell of said cellular communication network; and

router means for routing data, constituting said communiqué, from a selected program source to said cell for concurrent transmission to wireless subscriber devices of subscribers who are authorized to receive said communiqué and who are served by said cell, said transmission to said plurality of wireless subscriber devices being
10 effected concurrently to more than one of said plurality of wireless subscriber devices via a one of said plurality of wireless communication channels.

20. The communiqué system of claim 19 further comprising:

authorization means for enabling each of said plurality of wireless subscriber
15 devices to receive said information via said one of said plurality of wireless communication channels.

21. The communiqué system of claim 20 wherein said authorization means comprises:

subscriber identification means for identifying each of said plurality of wireless subscriber devices via a communiqué address assigned to said plurality of wireless subscriber devices to enable the cell sites to recognize each of said plurality of wireless subscriber devices, whose communiqué address constitutes an identity that is common to said plurality of wireless subscriber devices.
25

22. The communiqué system of claim 21 wherein said subscriber identification means comprises:

subscriber address means for assigning a common MIN as said communiqué address assigned to said plurality of wireless subscriber devices to enable the cell
30 sites to recognize each of said plurality of wireless subscriber devices, whose communiqué address constitutes an identity that is common to said plurality of wireless subscriber devices.

23. The communiqué system of claim 20 wherein said authorization means
35 comprises:

registration means for registering at least one of said plurality of wireless subscriber devices to uniquely identify said at least one wireless subscriber device; and

channel assigning means for authorizing said at least one wireless subscriber device to receive a subscriber selected communiqué.

24. The communiqué system of claim 19 wherein said router means operates in at least one information distribution mode selected from the class of information distribution modes including: push, pull, and combinations of push/pull information distribution modes.

25. The communiqué system of claim 19 wherein said processor means comprises:

spatial temporal communiqué manager means for defining a set of said cells to provide a communiqué to at least one of: a predetermined geographic area, a demographic population, and a subscriber interest group.

26. The communiqué system of claim 25 wherein said spatial temporal communiqué manager means comprises:

means, responsive to occurrence of an event, for identifying a temporal and spatial extent of said communiqué; and

means for translating said identified temporal and spatial extent into said set of said cells.

27. The communiqué system of claim 26 wherein said spatial temporal communiqué manager means further comprises:

means for dynamically updating said temporal and spatial extent.

28. The communiqué system of claim 19 wherein said processor means comprises:

means for activating said at least one of said plurality of cell sites to transmit a communiqué, with each of said at least one of said plurality of cell sites using the same frequency of transmission for said communiqué.

29. The communiqué system of claim 19 wherein said processor means comprises:

program database means for creating a temporal and spatial extent narrowcast in the content domain.

30. The communiqué system of claim 29 wherein said program database means comprises:

database data means for defining program segments for a plurality of communiqués that are excerpted from a program stream in said cell site.

31. The communiqué system of claim 30 further comprising:

network interface means for transmitting a program stream to said plurality of wireless subscriber devices served by said cell site; and

control signal means for transmitting program stream parsing control signals to said plurality of wireless subscriber devices served by said cell site to define at least one communiqué that is excerpted from said program stream.

32. The communiqué system of claim 30 further comprising:

network interface means for transmitting a program stream to said cell site; and

control signal means for transmitting program stream parsing control signals to said cell site to define at least one communiqué that is excerpted from a program stream in said cell site.

33. The communiqué system of claim 31 further comprising:

router means, located in said cell site, for generating a plurality of communiqués from said received program stream and said program stream parsing control signals; and

base station transceiver means for transmitting said plurality of communiqués to said plurality of wireless subscriber devices served by said cell site.

34. The communiqué system of claim 32 further comprising:

router means, located in said cell site, for generating a plurality of subframes from said received program stream and said program stream parsing control signals for transmission to said plurality of wireless subscriber devices served by said cell site.

35. The communiqué system of claim 34 further comprising:

content parsing means, located in said cell site, for generating program stream subframe parsing control signals to define at least one communiqué that is excerpted from a subframe of said program stream; and

5 base station transceiver means for transmitting said received program stream subframe and said program stream subframe parsing control signals to said plurality of wireless subscriber devices served by said cell site.

36. The communiqué system of claim 19 wherein said router means comprises:

10 interface means for receiving program content from a plurality of program sources; and

content scheduling means for combining said received program content into a plurality of program streams, each of which comprises at least one media from the class of media including: audio, video, graphics, text, data.

15